

**Bid No: SCM 25/2024/25**

**Supply Chain enquiries: 016 973 8740/44**

Date: 18<sup>th</sup> October 2024

**Request for formal Written Quotation**

Kindly furnish Metsimaholo Municipality with a written quotation for the services as detailed on the below schedule.

**APPOINTMENT OF A SERVICE PROVIDER FOR THE ERECTION OF A FENCE AND INSTALLATION OF AN ACCESS GATE AT DENEYSVILLE RESERVOIR (TANKER STREET).**

Detailed Specification, returnable forms MBD and General Conditions of Contract (GCC) are obtainable from Supply Chain Management Unit Finance Building, Sasolburg 1947 at **R50.00**

The quotation must be placed on the letterhead of your business and must be delivered not later than the **28<sup>th</sup> OCTOBER 2024 before 11H00AM** in the tender box located at Metsimaholo Local Municipality, Ground floor, Finance Building, 10 Fichardt Street, Sasolburg. The following requirements will apply:

- **Be registered on the Central Supplier Database (CSD)** and provide us with your Supplier number or attach a **Summary report**.
- **CIDB 2SQ or higher**
- **Service provider** must submit **municipal rates and taxes statement on the company name that** is not older than three months and not in arrears for more than 90 days or **Lease agreement** where the company is the lessee.

**NB! IT IS COMPULSORY TO PURCHASE THE BID DOCUMENT FROM THE MUNICIPALITY FAILURE TO DO SO WILL RENDER YOUR SUBMISSION AS A NON-RESPONSIVE BID AND WILL NOT BE EVALUATED FURTHER.**

**This quotation will be evaluated in terms of 80/20** of points system as prescribed in the **Preference Points Claim Form in Terms Of The Preferential Procurement Regulations 2022 (Price(80) and Specific Goals (20) (Locality)** for this purpose the bidders are required to submit **Municipal account** in the name of the bidder not older than 90 days or a valid copy of lease agreement signed by both parties, where the bidder is the lessee, or SARS tax pin document or submit your company **bank confirmation letter** with address of the company, if **bank confirmation letter** does not reflect the bidders address the **bank confirmation letter** must be submitted with the **bank statement**.

General Conditions are available on the Municipal website for your information. Failure to comply with the above conditions may invalidate your offer.

Mr F.J. Motloun  
Municipal Manager

## SPECIFICATIONS

### TECHNICAL INFORMATION AND SPECIFICATION

#### Preparation

Any obstacles along the proposed fence perimeter must be removed in the order for the fence to follow the general contour of the ground. Cleaning shall include the removal of all branches, shrubs, rocks, rubble etc. that may interfere with the fencing structures erection. The gap between the bottom of the fence and ground should be consistent and as per SANS specification. Large trees to be taken into consideration.

#### Excavations and concrete work

No extra payment will be entertained, made for excavations in hard soil or rocky conditions. Concreting will be 400mm x 400mm x 600mm (depth). Concrete to be filled to a maximum 50mm below ground level and have a strength of 25 MPA.

#### Cleaning of site

The site shall be cleaned of all excavated rubble and rocks and left in a clean state.

#### Pressed High Density Mesh Panel (2.2m high)

**Mesh Dimensions** - 3 mm diameter high tensile Wires. Aperture sizes: 76.2 x 12.7mm Centres Vertical Reinforced: Tube with an aluminium fibre ceramic composite Horizontal Reinforced; 4mm wide x 4mm thick flatbar.

**Mesh Coating** - Line galvanized with Alu Galv coating.

**Posts** - Taper post sealed With UV Stabilized Coat With end caps. 12mm diameter base pin

**Mesh Panel Coatings**- Panel Reinforced with 2x75 mm 70-degree flanges along sides.

**Toppings**- 100mm high galvanized 'shark tooth' type spike rails. bolted to 50mm wide mesh flange bent along fence top.

#### Sliding Gate (2.2m high)

1 x 4.0 - 4.5m gate wide (76 x 38)

4 Polyamide rollers to keep the gate vertical and in line.

Buttresses to be fixed to the concrete footings by steel anchors.

Entrance Gate (2.2m high)

1 x 1.23m gate wide (76 x 38)

Gate Post complete with hinges are included.

<b>FENCE AND ENTRANCE GATE (DENEYSVILLE RESERVOIR)</b>			
1	Pressed High Density Mesh Panel Fence: 2.2m High	<b>m</b>	<b>170</b>
2	Sliding Gate: 4 – 4.5m wide, 2.2m high	<b>No.</b>	<b>1</b>
3	Entrance Gate: 1.23m wide, 2.2m high	<b>No.</b>	<b>1</b>